

Part Number	Name	Description	Picture
Sanitary Case Cam Red – Dog Blue – Dog	Domestic Comercial Cams below ↓↓		
1-267	Φ14mm Camera head	CMOS 380TVL, Φ14mm×26mm, 82°View Angle, Flexible Spring length: 100mm. Camera total length: 126mm	
C14MTO	Ф14mm Camera head	CMOS 380TVL, Ф14mm×26mm, 82°View Angle, Flexible Spring length: 100mm. Camera total length: 126mm With built-in 512hz sonde function	
C23MN0	Camera head	Sony CCD 480TVL, Φ 23mm ×150mm, 120° View Angle. Flexible Spring length: 10cm	
C23MT0	Camera head	Sony CCD 480TVL, Φ23mm×150mm, 120° View Angle. Flexible Spring length: 10cm With built-in 512Hz Sonde	

C23MNS	Camera head	Φ23mm×150mm, 110 View Angle. Flexible Spring length: 10cm With self leveling	
C23MTS	Camera head	Φ23mm×150mm, 110 View Angle. Flexible Spring length: 10cm With self-leveling and 512hz sonde	
1-212		Sony CCD 480TVL, Φ 23mm ×250mm, 135° View Angle. Flexible Spring length: 20cm	Contract of the second of the
1-234		Sony CCD 480TVL, \Phi23mm ×250mm, 135° View Angle. Flexible Spring length: 20cm With built-in 512Hz Sonde	
A28014	Transmitter	33Khz transmitter function for 23mm camera head	
A28006	connector	Adapter for 38mm cam head to mount on smaller cams -23mm	
2-301		Battery Pack 7.4V 6600mAh Battery box	


SD card	SD card	16GB SD card + SD to USB adapter	
8-901	Guide	Plastic guide (dia. 80mm) For 23mm camera head	
8-923	Guide	Plastic guide (dia. 46mm) For 23mm camera head	
8-933	Guide	Ball guide (dia. 30mm) For 14mm camera head	
A18001	Вох	Control box part, inlcuding 7" monitor, keyboard, battery pack (internal)	
A18006	Monitor	Whole black panel with LCD, battery, buttons, DVR, etc	
Battery pack	Battery pack	Battery pack for model 3499F	Internal Control of Co
2-312	Adaptor	DC 12V 1. 5A Adaptor	
2-323	Car Charger	DC 12V 2A Car Charger	
K7924K	keyboard	Wireless keyboard and adapter for text input on monitor (to chose this part, the camera kit must come with optional function of keyboard input)	

5-612	Pelican style Box	520×434×200mm Tool Box only		
7-823	Monitor panel Case Cam	480×400mm Pannel with DVR 5-612		
A18003	Turn table	Turn table of cable reel (with slip ring inside), support bluetooth keyboard (for Φ4.8mm & Φ5.2mm rod cable)	A CO	
A18002	Turn table	Turn table of cable reel (with slip ring inside), support bluetooth keyboard (for 3499FB Φ6.8mm red rod cable)		
A18005	Wheel	Wheel part for the cable reel, including turn table (for 3499F Φ5.2mm blue rod cable)		
A18004	Wheel	Wheel part for the cable reel, including turn table (for 3499FB Φ6.8mm red rod cable)		
F5240N	Push Cable	push cable only, without wheel, with connectors on both ends; 20,30,40 meters (optional) Dia. 5.2mm blue color for 23mm camera head		
F5130N F5140N	Push Cable	push cable only, without wheel, with connectors on both ends; 20,30,40 meters (optional) Dia 4.8mm red color for 14mm camera		
4-501-40	Cable Wheel	Rotatable Cable Wheel With φ5.2mm fiberglas Cable. 40 Meter length fiberglas Optional. For 23mm camera head		

4-512-40	Cable Wheel	Rotatable Cable Wheel With φ5.2mm fiberglas Cable, Bulit-in Meter Counter. ,40 Meter length fiberglas Optional. For 23mm camera head	
F5240N	Push Cable	push cable only, without wheel, with connectors on both ends; For 23mm camera head	
4-523-30	Cable Wheel for Φ14mm camera head	Rotatable Cable Wheel With φ4.8mm fiberglas Cable, Bulit- in Meter Counter. For 14mm camera	

F6835N	Push Cable	push cable only, without wheel, with connectors on both ends; 20,30,35 meters (optional) Dia 6.8mm red color for 23mm camera
R1830U/14 R1840U/14	Cable Wheel	Rotatable Cable Wheel With \(\phi 4.8 mm\) red fiberglas Cable 20,30,40 meters (optional) Bulit-in Meter Counter and support keyboard For 14mm camera head
R1840U	Cable Wheel	Rotatable Cable Wheel With φ5.2mm blue color fiberglas Cable 20,30,40 meters (optional) Bulit-in Meter Counter and support keyboard For 23mm camera head
R1335U	Cable Wheel	Rotatable Cable Wheel With \(\phi 6.8mm \) red color fiberglas Cable 20,30, 35 meters (optional) Bulit-in Meter Counter and support keyboard For 23mm camera head
M1840U	Cable Wheel	Rotatable Cable Wheel and metal frame With op.2mm blue fiberglas Cable 40 meters (optional) Bulit-in Meter Counter and support keyboard For 23mm camera head
M1830U/14 M1840U/14	Cable Wheel	Rotatable Cable Wheel and metal frame With \(\phi 4.8mm \) red fiberglas Cable 40 meters (optional) Bulit-in Meter Counter and support keyboard For 14mm camera head
M1335U	Cable Wheel	Rotatable Cable Wheel and metal frame With \(\phi 6.8 mm \) red fiberglas Cable 35meters (optional) Bulit-in Meter Counter and support keyboard For 23mm camera head

9-001	Cable repair parts	Fiberglass connector parts for repairing a snapped cable For 23mm camera head, 5.2mm cable	
9-002	Cable repair parts	Fiberglass connector parts for repairing a snapped cable For 14mm camera head, 4.8mm cable.	
9-003	Cable repair parts	Fiberglass connector parts for repairing a snapped cable For 23mm camera head 6.8mm rod cable	
A18007	Cable	6pin - 6 pin connection cable from control box to cable reel curley cord	



0	1-312	Camera head, stainless steel, ⊄38mm×81mm self Level
		Camera head, stainless steel, ⊄38mm×81mm With <u>built-in 512Hz Transmitter</u>
	A58003	adapter, for from 38mm to 23mm
	A28006	adaptor, from 23mm camera to 38mm

100	A18001	Control box part, inlcuding 7" monitor, keyboard, battery pack (internal)
	A18006	Whole black panel with LCD, battery, buttons, DVR, etc
	5-623	7" Monitor, with built-in battery, DVR
	2-312	DC 12V 1. 5A Power Adaptor
	2-323	DC 12V 2A Car Charger
- International Control of the Contr		33Khz adaptor for the 38mm camera head



8-956

New set of skid include: Caster Skid, POM skid, ball support and lock sleeve

	4-601	video cable from wheel to monitor
	8-934	Mini Roller skid, dia 70mm
	8-945	Universal Roller Skid, dia. 120mm(Min.) 250mm(Max.)
	9-012	Maintenance: The parts for fiberglass Connector (15pcs)
10000000000000000000000000000000000000	K7924K	wireless keyboard and receiver

F6860N	Fiberglass rod cable 60m, dia. 6.8mm, with camera spring connector, without wheel - Domestic
F9012N	Fiberglass rod cable 120m, dia. 9mm, with camera spring connector, without wheel - Commercial
9-423	Universal bracket for monitor
9-412	U-Shape wheel Extension handle
	Bag

Parts List – Jan 2022		